

Installation Instructions

Chapter 1 – Getting Started

1.1 Subject

GROM iPod adapter - integration between iPod (or iPhone) and car stereo

1.2 Introduction

Thank you for purchasing GROM iPod adapter. The GROM iPod adapter is designed to provide endless hours of listening pleasure through most vehicles factory radios. You will be able to control iPod with the car stereo buttons or steering wheel controls, and iPod will stay charged when connected to the car stereo. To insure that your iPod performs correctly in your car or truck, we recommend that you read this entire manual before attempting install the GROM interface.

1.3 Precautions

Proper mounting location

Securely install the interface in a location free from; heat, humidity, moving parts or direct sunlight. Beware of hot-air flow from your vehicle's climate control system. We recommend securing the interface to a suitable location, free of sharp metal edges, using double sided tape, Velcro or wire ties.

The iPod has not been designed to withstand the extreme automotive temperatures. You may damage your iPod if you leave it inside your vehicle on a very hot or cold day. For further information please refer to the iPod manual.

1.4 Disclaimer

- This product is not affiliated with any of the OEM manufactures
- Modifying the radio may void any outstanding warranty it may have.
- There are no warranties expressed or implied by purchase of this product
- While every care has been taken to provide a quality product, we cannot guarantee the GROM iPod adapter to function correctly if installation is not done according to the instructions in this guide. We cannot guarantee the GROM adapter to function correctly with iPod if iPod is broken or damaged or not supported
- Keep your eyes on a road while driving!
- We're not liable for misuse of this product. Misuse includes improper installation, damage to the board or radio while trying to install, and illegal use of the radio

1.5 Package content



GROM iPod interface (1)




Docking cable (2)



Vehicle specific cable (3)

Basic wiring diagram



1.6 Important Compatibility Notes

If your vehicle is equipped with an external factory CD changer, you must disconnect it in order to be able to install the interface. You will lose the use of the external CD changer to gain the use of your iPod or MP3. Built-in CD changer will remain working.

For a full version of the GROM application guide please visit http://gromaudio.com/grom_application_guide.pdf or contact Grom Audio at <http://gromaudio.com/support.html>

Chapter 2 – General Installation

2.1 Installation location:

Most installations will require you to remove the factory radio in order to plug in the vehicle specific harness.

For some vehicles you will also have an option to connect the interface to the factory pre-run CD changer cable located in the trunk or glove box.

2.2 Tools needed:


In many cases there are no any special tools required in order to remove the stereo out. For some stereos it is better to use car stereo removal tools. Please consult your local car audio shop or your vehicle's dealership for instructions or assistance if necessary.

2.3 Preparation and adapter installation

1. Turn off car engine and remove key from ignition
2. If your radio uses a **Security Code**, make sure that you have the code before unplugging the radio.
3. Un-mount your radio from the dash in order to get access to the back side of the radio. Some vehicles require the special tools to remove the radio. Please consult your vehicle's dealership or a local car audio professional if necessary.
4. Attach the car harness connector to the back of the stereo to the CD changer port. Be sure to make a firm connection but do not force it. Connect the other end to the interface.


5. **If there is a black single cable on the vehicle specific harness (3)** you will need to attach it to the metal part of the car stereo chassis (car stereo body).

Note: Without attaching the black cable to the chassis of the stereo GROM adapter will not work!



Remove the PVC from the end of the black wire (2)

- (a) Connect the end of the black wire (2) to the metal part of the car stereo chassis. You can connect it under the bolt (3) if it is present
- (b) Make sure there is solid contact between the striped black wire and the metal part of the car stereo body.
6. **For AUDI vehicles only:** For some AUDI headunits the additional part or harness modification required in order to gain the access to the CD changer port. The 8-pin CD changer port on such stereos is occupied by solid 20-pin connector. Please refer to the instructions on that webpage: <http://gromaudio.com/pie-audi-how-to.html> You may also wish to use GROM part number AUDS in order to access this port.
7. **For BMW vehicles only:** Please refer to the installation insert for the special guidelines for BMW installation.
8. **For Toyota vehicles only:**
In some Toyota / Lexus / Scion vehicles the CD changer port is occupied with factory harness (such as NAV or audio harness). With GROM package for Toyota you will get Y shaped vehicle cable. In order to connect interface properly please follow to the scheme below.



9. For Honda / Acura 03 and up (HON1 adapter) and Chrysler / Dodge / Jeep with navigation or XM installed you may need HON1-Y Y cable or CHR-Y cable in order to gain the access to the car stereo port occupied with the factory connector.
10. Once the interface is connected to the radio, you will need to test the operation of the interface before re-assembling the dash.
11. Turn your car stereo on and switch it over to CD Changer mode. In order to do so you can use Disk / Mode / CD / AUX buttons on your car stereo (depending on the stereo type). Now it should show Disk 1, Track 01 on a display.
Note: On most Lexus, Toyota, Honda, and Acura cars after turning your stereo on you have to turn ignition off and then on for device to get recognized.
12. Connect the iPod cable to the iPod. Turn on the iPod. Now you should hear the sound coming from the car stereo speakers.
With the operation of the interface confirmed, you may continue with the installation. If you experience difficulties with the installation, please see our **troubleshooting section**.
13. Find a place where you can place GROM. In many cars there is enough room in the dash to place GROM.
Note: Make sure you mount GROM in a place with enough room so when you mount the car stereo back you do not break the adapter.
14. You may use glove box or other spaces in a dash to direct Audio cables out.
15. Mount your car stereo back into the dash, make sure it's clips or screws are secure.

Adapter mounting in the trunk (for VW and BMW only)

1. Locate trunk mounting cable in your car
2. Usually it is located at the left side of the car in the back
3. Disconnect existing CD changer if any
4. Attach matching cables

Congratulations! You have installed GROM iPod adapter and you may use it right away with your iPod.

Chapter 3- Usage manual

3.1 Supported iPods

iPod 4 gen and up: Nano, Mini, iPod Photo, iPod Video, iPhone, iPod Classic, iPod Touch

3.2 Basic features

GROM-IPOD adapter has 2 modes it can operate in.

- 3.2.1 Simple mode:** iPod can be controlled via clicking wheel and stereo controls. Information on car stereo is **not** accurate and does **not** represent the actual song. There is no need to prepare your iPod to play in this mode. Simple mode is always selectable by choosing CD1 (DISK1) from the car stereo. To switch to **advanced mode** just select any disk that is different from 1

3.2.2 Advanced mode: iPod is locked for control and only operated via car stereo buttons. In this mode all data is synced between stereo and iPod. Allow you to see current information such as track number, playlist number etc. In order to use this mode you have to prepare iPod as explained below. Advanced mode is always on for disks 2-9. To switch to **simple mode** just select DISK 1

“Ok to disconnect” is shown on the iPod display while it is connected to this unit. The clickwheel of the iPod is disabled when in this mode.

3.3 Supported operations in Simple Mode

In simple mode iPod behaves in the usual fashion when click wheel and display is functional. The following control is possible from the car stereo:

- **Next track**
When pressed on car stereo, iPod will jump to the next song and car stereo track number will increase by 1.
- **Previous track**
When pressed on car stereo, iPod will jump to the previous song and car stereo track number will decrease by 1
- **Fast Forward**
When pressed iPod will start rewinding current track forward
- **Fast Reverse**
When pressed iPod will start rewinding current track backward
- **Play/Pause**
When stereo is turned into CD changer mode the iPod will automatically start playing. Upon turning stereo off or switching to another source (FM,AM etc) it will pause current track
- **Disk Change**
When changing disk the iPod will switch to Advanced Mode

All information displayed in simple mode is **not** related to the song currently playing. The display will show: DISK 1 TRACK xx TIME 00:00. Track information can change from 00-99.

3.4 Supported operations in Advanced Mode

In advanced mode iPod controls will be locked and the following operations will be supported:

- **Next track**
When pressed on car stereo, iPod will jump to the next song and car stereo track number will represent song number in a current playlist
- **Previous track**
When pressed on car stereo, iPod will jump to the previous song and car stereo track number will represent song number in a current playlist
- **Fast Forward**
When pressed iPod will start rewinding current track forward. Time on car stereo will represent actual position within the audio track

- **Fast Reverse**
When pressed iPod will start rewinding current track backward. Time on car stereo will represent actual position within the audio track
- **Play/Pause**
When stereo is turned into CD changer mode the iPod will automatically start playing in simple mode at the last position it was left.
- **Scan**
Allow to skip tracks by 10 when set. Next track will jump to current track+10. Previous track will jump to current track-10. It is helpful to skip the whole album (usually ~10 songs)
- **Disk Change**
When you select Disk 2-9, iPod will stay in Advanced Mode and will resume last playing track in a playlist. Once DISK 1 is selected, iPod will switch over to **Simple Mode**
- **Mix/Random**
When turned on it will allow to play songs in a shuffle mode through the whole playlist. The track enumeration will start from 1. When switched off, track enumeration will be restored to the real order in the playlist.
Note for Mazda: Whenever activated it will be on until any track navigation button is pressed.
- **Repeat**
When turned on, will play first track in the playlist after the last track is played.

3.5 Playlists set up for advanced mode

To use iPod in Advanced Mode you have to define playlists on your iPod. The number of the playlists depends on the stereo, usually 5-8. There is no need to name playlists in a certain way except the 1st playlist. First playlist is ignored by GROM, therefore it should be empty “fake” playlist. Please make sure to name it “1” so it will stay on top of your other playlists.

All other playlists are enumerated from the very beginning of the list and numbers are assigned according to the position.

For instance if you have playlists defined like:

- 1 (“empty playlist”)
- Andy’s songs
- Disco dance
- Favorites
- House rhythms

1 (“empty playlist”) will not be mapped to any disk, “Andy’s songs” will be mapped to Disk 2; “Disco dance” will be on Disk 3 and so on.

Therefore selecting DISK 2 on car stereo will play “Andy’s songs” playlist, DISK 3 will select “Disco dance” and so on.

Note: For stereos with disk [^] and disk _v you may set up to 99 playlists.

We strongly recommend that you organize your songs into playlists for proper operation of this unit.

If iPod does not have playlists/songs it may cause unpredictable outcome and improper operation of the unit.

EMPTY PLAYLISTS MAY ALSO CAUSE UNPREDICTABLE BEHAVIOUR, ESPECIALLY EMPTY PLAYLISTS THAT ARE LOCATED IN THE MIDDLE OF ALL PLAYLISTS.

Note for iPhone users: Once connected to the GROM adapter you will get the message on the iPhone screen saying that “This accessory is not made to work with iPhone” and ask you to “turn ON the Airplane Mode”. Please answer “NO”. If the iPhone is still not recognized by stereo restart the iPhone.

3.6 When the car ignition is OFF

When you turn your car stereo or car ignition off the iPod automatically will go into sleep mode. In the sleep mode the iPod will still consume very little power from the car battery. There is no need to disconnect the iPod every time you turn off the car.

However, **it is strongly advised that you disconnect the iPod if you plan not to operate your car for 1 week or more.**

3.7 Troubleshooting

Symptom	Cause	Remedy
No power	Bad connection	Check the cable connections.
Radio is not recognizing GROM iPod interface	Some Mazda, Toyota, Lexus car stereo have to be restarted before the radio catches the signal	After connecting the adapter turn the stereo on, and then turn the ignition off and back on
Radio is not recognizing GROM iPod interface	External CD changer is present	Make sure to disconnect the external CD changer
Radio is not recognizing GROM iPod interface	Bad cables or cables are not connected properly between the interface box and car radio.	Check connection and cables, push in firmly.
You can hear the music from iPod but you can't control it from the radio	The Firmware on the iPod may not be updated.	Update the firmware on the iPod
You can hear the music from iPod but you can't control it from the radio or switch to advanced mode	The playlists are not set up correctly	Please refer to the section 3.5 of the manual and make sure to set up the playlists correctly.
You cannot control the iPod from the radio	iPod needs to be reset	Reset the iPod (Resetting will not erase your music, it will only restart the iPod)
You can't hear the music from the iPod	No CD changer is selected	Make sure CD changer, SAT mode or AUX is selected (correct key depends on your stereo)
You can't hear the music from the iPod	Empty album or playlist is selected on the iPod	Make sure that the non-empty album or playlist is selected on the iPod.

The music is distorted	EQ or BASS boost options are turned ON on the iPod	Make sure all EQ and BASS boost options are turned OFF on your iPod.
For VAG only: Radio is not recognizing GROM iPod interface	Single black wire on the vehicle specific harness (3) is not attached to the stereo chassis (stereo body)	Read paragraph 2.3 p. 5 of this guide. Attach the black cable to the car stereo body.
For BMW dashboard only: Radio is not recognizing GROM iPod interface Audio is not coming form the speakers Sound comes only from 1 channel	iBus wire may get loose Sometimes using T-Tap clips, the IBus wire may not receive proper connection due to its wire size. The audio cable is not inserted properly. 10 pin sound connector is not aligned correctly	Make sure the IBus wire is securely attached by using multimeter or slightly tight up the T-Tap connector so its slot get smaller. Make sure that the audio cable inserted properly. Make sure that 10-pin sound connector on the vehicle cable is aligned correctly

3.8 Support

For questions or technical support please visit <http://gromaudio.com/support.html> Your question will be answered within next business day.

Chapter 4. Warranty, license agreement and disclaimers

4.1 One (1) YEAR MANUFACTURER LIMITED WARRANTY

GROM AUDIO warrants that the PRODUCTS will be free from defects in materials and workmanship for a period of ONE (1) YEAR from the date of purchase. GROM sole obligation under this warranty is to repair or replace at GROM'S option, any PRODUCTS that GROM AUDIO shall have determined to be defective.

This warranty covers any supplied or manufactured parts of the product that, upon inspection by GROM Audio authorized personnel, is found to have failed in normal use due to defects in the material or workmanship. This warranty does not apply to the installation expenses. Attempting to service or modify this unit, operating this unit under conditions other than the recommended will render this warranty void. Unless otherwise prescribed by law, GROM Audio shall not be liable for any personal injury, property damage and or any incidental or consequential damages of any kind resulting from malfunctions, defects, misuse, improper installation or alteration of this product.

All parts of this product are guaranteed for a period of 1 year as follows:

Within the first 12 months from the date of purchase, subject to the conditions above, Grom Audio will repair or replace the product at their discretion, if it is defective in the material or workmanship.

What you should do:

- All customers should contact GROM Audio support team at <http://gromaudio.com/support.html> and obtain an **RMA** number. **Without RMA number the returns are not accepted!**
- All defective adapters returned to Grom Audio within warranty period must be accompanied by the **original invoice (or copy)** showing the date of purchase to prove the warranty eligibility.
- Be sure to include your return address and a written description of the problem.

All shipping handling charges are non-refundable. Warranty does not cover normal tear and wear, damages due to negligence, improper installation and operation.

SHIP TO: GROM AUDIO RETURNS

P.O. Box 6037

San Mateo CA 94403

For your own protection, you should obtain a proof of delivery receipt. Return shipping (that is, shipping back to the customer following repair or replacement), will be paid by GROM AUDIO unless repair or replacement is determined not to be covered by the warranty.

4.2 LICENSE AGREEMENT AND DISCLAIMER

GROM AUDIO iPod adapter (hereinafter referred to as 'PRODUCT') and its related software

THIS IS A LEGAL AGREEMENT BETWEEN YOU, AS THE END USER, AND GROM Audio ("GROM"). PLEASE CAREFULLY READ THE TERMS AND CONDITIONS OF THIS AGREEMENT BEFORE USING THE GROM PRODUCTS. BY USING THE GROM PRODUCTS AND SOFTWARE INSTALLED ON THE GROM PRODUCTS, YOU ARE AGREEING TO BE BOUND BY THE TERMS OF THIS AGREEMENT. SINCE GROM DOES NOT INSTALL THIS EQUIPMENT, GROM DISCLAIMS ANY LIABILITY FOR IMPROPER INSTALLATION OF THE GROM AUDIO OR THE 'AFTER-MARKET' EQUIPMENT (INPUTS). FURTHER, THE 'END USER' ACKNOWLEDGES THAT THE PRODUCT AND ITS SOFTWARE ARE NOT INHERENTLY DANGEROUS AND DO NOT PROVIDE ANY INHERENT RISKS AND THEREFORE POTENTIAL DAMAGES TO THE END-USER, OTHER THAN 'Fitness for its Purpose'. Some radio receiver models may cause you to experience some technical difficulties, if the product does not operate properly please contact technical department promptly at www.gromaudio.com/support.html

4.2.1 GRANT OF LICENSE

GROM grants to you a non-transferable, non-exclusive license to use the PRODUCT and its software installed on the GROM product (the "PRODUCTS") and the related documentation solely for your own personal use or for internal use by your business, only on such GROM PRODUCTS. You shall not copy, reverse engineer, translate, port, modify or make derivative works of the Software contained in the PRODUCT. You shall not loan, rent, disclose, publish, sell, assign, lease, sublicense, market or otherwise transfer the Software in the PRODUCT or use it in any manner not expressly authorized by this agreement. You shall not derive or attempt to derive the source code or structure of all or any portion of the Software in the PRODUCT by reverse engineering, disassembly, recompilation, or any other means. You shall not use the Software in the PRODUCT to operate a service bureau or for any other use involving the processing of data for other persons or entities. GROM and its licensor(s) shall retain all copyright, trade secret, patent and other proprietary ownership rights to the Software in the PRODUCT. You may transfer all of your license rights in the Software or the PRODUCT, the related documentation and a copy of this License Agreement And Warranty to another party, provided that the party reads and agrees to accept the terms and conditions of this License Agreement And Warranty.

4.2.2 OPERATIONAL WARNING AND SAFETY INSTRUCTIONS.

IMPORTANT NOTICE: YOU SHOULD READ AND FAMILIARIZE YOURSELF THOROUGHLY WITH THE FOLLOWING INFORMATION PRIOR TO INSTALLING AND USING THE **GROM AUDIO iPod adapter**. **FAILURE TO ABIDE BY THESE OPERATIONAL WARNINGS AND SAFETY INSTRUCTIONS COULD RESULT IN SERIOUS BODILY INJURY OR DEATH. IN ADDITION, FAILURE TO FOLLOW THESE INSTRUCTIONS MAY VOID THE PRODUCT WARRANTY AND COULD**

BECOME A BASIS FOR LIABILITY ON THE PART OF THE VEHICLE OPERATOR IN THE EVENT OF AN ACCIDENT WHICH RESULTS IN INJURY TO PERSONS OR PROPERTY. UNDER NO CIRCUMSTANCES WILL GROM OR ITS IMMEDIATE AGENTS OR PRINCIPALS, BE LIABLE, FOR DAMAGES INCURRED TO THE PRODUCTS, THE VEHICLE OR ITS PASSENGERS, OR OTHER THIRD-PARTIES AS A RESULT OF FAILURE TO FOLLOW GROM INSTALLATION INSTRUCTIONS.

4.2.3 DISCLAIMER AND LIMITATION OF WARRANTIES.

(A) **EXCEPT AS OTHERWISE CONTAINED HEREIN, the PRODUCTS and related documentation are provided to you, "AS IS". IN NO EVENT SHALL GROM BE LIABLE FOR ANY DAMAGES, CLAIM OR LOSS INCURRED BY YOU (INCLUDING WITHOUT LIMITATION, COMPENSATORY, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES, LOST PROFITS, LOST SALES OR BUSINESS, EXPENDITURES, INVESTMENTS, OR COMMITMENTS IN CONNECTION WITH ANY BUSINESS, LOSS OF ANY GOODWILL, OR DAMAGES. THE TERM 'INCIDENTAL DAMAGES' REFERS TO THE EXPENSES OF TRANSPORTING THE PRODUCTS TO THE GROM AUDIO SERVICE CENTER, LOSS OF THE END-USERS [ORIGINAL PURCHASER'S] TIME, LOSS OF THE USE OF THE PRODUCT, BUS FARES, CAR RENTALS OR OTHER COSTS RELATED TO THE CARE AND CUSTODY OF THE PRODUCT. THE TERM 'CONSEQUENTIAL DAMAGES' REFERS TO THE COST OF REPAIRING OR REPLACING OTHER PROPERTY, WHICH IS DAMAGED WHEN THIS PRODUCT DOES NOT WORK PROPERLY, RESULTING FROM THE USE OR INABILITY TO USE THE PRODUCTS, INCLUDING ANY DAMAGES INCURRED DUE TO THE NEGLIGENT OPERATION OF A MOTOR VEHICLE, IN CONJUNCTION WITH THE USE OF SAID PRODUCTS. THE END-USER ACKNOWLEDGES ITS RESPONSIBILITY FOR THE USE OF THE PRODUCT. THE ADDITION OF GROM PRODUCTS AND ANY AFTER-MARKET EQUIPMENT MAY ENHANCE THE VALUE OF A VEHICLE OR CAUSE A THIRD-PARTY TO ILLEGALLY ATTEMPT TO REMOVE THE PRODUCTS AND AFTER-MARKET EQUIPMENT. GROM DISCLAIMS ANY LIABILITY RELATED TO SUCH THEFT AND POTENTIAL DAMAGE TO PROPERTY. IT IS THE END-USERS RESPONSIBILITY TO PROTECT ITS OWN PROPERTY. THE END-USER FURTHER ACKNOWLEDGES THAT THE OPERATION OF A MOTOR VEHICLE IS AN INHERENTLY DANGEROUS ACTIVITY, AND BY ITS USE OF GROM'S PRODUCTS, ACKNOWLEDGES THAT THE PRODUCTS ARE REMOTELY RELATED TO SAID MOTOR VEHICLE OPERATION, AND THUS ANY DAMAGES CAUSED TO THE DRIVER OF THE VEHICLE, THE VEHICLE ITSELF OR ANY THIRD-PARTY AND ITS PROPERTY IS NOT THE RESPONSIBILITY OF GROM, ITS AGENTS OR ITS PRINCIPALS AND IS THE SOLE RESPONSIBILITY OF THE DRIVER OF SAID VEHICLE.**

YOU, THE END-USER, OR ANY OTHER DRIVER OF THE VEHICLE, IS SOLELY RESPONSIBLE FOR THE SAFE OPERATION OF THE VEHICLE AND THE SAFETY OF BOTH YOU AND THE PASSENGERS. FOR SAFETY PURPOSES, THE PRODUCT SHOULD NOT BE USED FOR THE DRIVER'S ENTERTAINMENT, WHILE THE VEHICLE IS BEING DRIVEN. SUCH USE COULD BE A DISTRACTION TO THE DRIVER, WHICH COULD CAUSE AN ACCIDENT LEADING TO SERIOUS INJURY OR DEATH. IF YOU, THE END-USER ALLOW ANOTHER PERSON TO USE THE VEHICLE, IT IS YOUR RESPONSIBILITY TO THOROUGHLY BRIEF THAT OTHER USER, ON THE SAFETY REQUIREMENTS FOR OPERATING THE VEHICLE AND THE PRODUCTS INSTALLED THEREIN.

(B) SAID DISCLAIMERS SHALL APPLY TO THE USE OF SAID PRODUCTS, EVEN IF GROM HAS BEEN INFORMED OF, KNEW OF, OR SHOULD HAVE KNOWN OF THE LIKELIHOOD OF SUCH DAMAGES. THIS LIMITATION APPLIES TO ALL CAUSES OF ACTION IN THE AGGREGATE, INCLUDING WITHOUT LIMITATION: BREACH OF CONTRACT, BREACH OF WARRANTY, NEGLIGENCE, STRICT LIABILITY, MISREPRESENTATION AND OTHER TORTS. IF GROM'S WARRANTY DISCLAIMER OR LIMITATION OF LIABILITY SET FORTH IN THIS AGREEMENT SHALL, OR FOR ANY REASON WHATSOEVER, BE HELD UNENFORCEABLE OR INAPPLICABLE, YOU AND ANY OTHER END USER AGREE THAT GROM'S LIABILITY SHALL NOT EXCEED (70%) OF THE PRICE PAID FOR THE ENCLOSED GROM PRODUCT.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This Warranty Disclaimer and Limitation of Liability shall not be applicable to the extent that any federal, state or local law, which cannot be preempted, prohibits any provision of this Warranty.

Any use of the PRODUCTS where it is illegal to do so, may be used against you as evidence of negligence in the event of an auto accident or other traffic infraction.

4.2.4 OTHER PROVISIONS:

A. INDEMNIFICATION OF GROM AUDIO, ITS AGENTS AND EMPLOYEES. By Purchasing, Installing and Using the Products, You, the End- User, agree to indemnify, defend and hold harmless, GROM AUDIO, and its Affiliates, Directors, Officers, Agents and Employees from any Liabilities, Damage, Loss, Claim and Expense (including reasonable Attorney's Fees) arising out of the installation and use of the Products.

B. GOVERNING LAW. THIS AGREEMENT and all Purchases hereunder shall be governed by, and construed under the laws of the State of California, without regard to conflicts of law rules. You agree that the Courts of California shall have exclusive jurisdiction over the Parties, for all disputes.

C. FORCE MAJEURE. GROM shall not be liable for any delay or failure in performance caused by or resulting from acts of God, fire, flood, storms, earthquakes, tornados, other acts of nature, any accidents, riots, wars, government intervention, embargoes, strikes, labor difficulties, equipment failures, or any other causes beyond the control of GROM AUDIO. Quantities are subject to availability.

L. ENTIRE AGREEMENT. These terms and conditions constitute the entire and exclusive agreement between you, the End-User and GROM AUDIO, concerning the Products, and your purchase hereunder, and supersede all statements or other agreements, whether oral or written, between you and GROM AUDIO. No change in this Agreement shall be effective, unless agreed to in writing by both, you, the end-user and GROM AUDIO.

IF YOU DO NOT AGREE WITH THESE TERMS, PLEASE RETURN THE GROM PRODUCTS IN ORIGINAL CONDITION, AND IN ORIGINAL PACKAGE WITHIN FIVE (5) BUSINESS DAYS OF RECEIPT OF THE PRODUCTS, TO THE PLACE FROM WHICH YOU PURCHASED THEM, FOR A FULL REFUND OF THE PURCHASE PRICE OF GROM PRODUCTS